

From: "Eron Dodak" <edodak@integral-corp.com>  
To: "Novak, Madi" <Novak.Elisabeth@epa.gov>  
CC: "Michael PINTO" <michael.pinto@totalenergies.com>  
petersonle@cdm.com  
Date: 12/23/2021 10:32:43 AM  
Subject: RE: Arkema Project Area: FCR-14

---

Thanks Madi!

**ERON DODAK**

Tel: 503.943.3614 | Cell: (b) (6)

**INTEGRAL CONSULTING INC.**

---

**From:** Novak, Madi <Novak.Elisabeth@epa.gov>  
**Sent:** Thursday, December 23, 2021 10:30 AM  
**To:** Eron Dodak <edodak@integral-corp.com>  
**Cc:** Michael PINTO <michael.pinto@totalenergies.com>; petersonle@cdm.com  
**Subject:** Re: Arkema Project Area: FCR-14

[CAUTION: External email. Think before you click links or open attachments.]

Thank you Eron, FCR-14 is approved. I will sign and return the form next week. Thank you, Madi

Sent from my iPhone

On Dec 23, 2021, at 8:52 AM, Eron Dodak <edodak@integral-corp.com> wrote:

Hi Madi,

That's a good clarification. Please see the attached revised version with the requested edit. Thanks!

**ERON DODAK**

Tel: 503.943.3614 | Cell: (b) (6)

**INTEGRAL CONSULTING INC.**

---

**From:** Novak, Madi <Novak.Elisabeth@epa.gov>  
**Sent:** Thursday, December 23, 2021 8:39 AM  
**To:** Eron Dodak <edodak@integral-corp.com>  
**Cc:** Michael PINTO <michael.pinto@totalenergies.com>; petersonle@cdm.com  
**Subject:** Re: Arkema Project Area: FCR-14

[CAUTION: External email. Think before you click links or open attachments.]

Thank you Eron, this FCR looks good. Just an editorial suggestion to include the word "Shelby" as indicated in the sentence below:

"The sampling will be conducted using a combination of either 2.5 ft or 5-ft long by 3-inch diameter **Shelby**tubes and a sonic core barrel sampler with a flapper to retain the sediment".

Thank you,  
Madi

Sent from my iPhone

On Dec 22, 2021, at 1:15 PM, Eron Dodak <[edodak@integral-corp.com](mailto:edodak@integral-corp.com)> wrote:

Hi Madi,

As I mentioned in my voicemail message, attached is draft FCR-14 for using a sonic core barrel sampler to get better sample recovery.

Please let me know if you have any questions. Thanks!

**ERON DODAK | Senior Consultant**

Tel: 503.943.3614 | Cell: (b) (6)

319 SW Washington Street, Suite 1150 | Portland | OR 97204

[edodak@integral-corp.com](mailto:edodak@integral-corp.com) | [www.integral-corp.com](http://www.integral-corp.com)